Alpine STRUCTURES

Restructure your backyard!





Not all buildings are created equal.

It all started one winter many years ago, in a small shop where our first storage barns were built. By the end of the year, our founder, Mose Miller, realized the need for storage buildings, and in 1981 Alpine Structures was born. As we continue to grow, Alpine Structures remains dedicated to providing highquality products with excellent customer service. Our success is credited first and foremost to God who has blessed us abundantly with wonderful employees and loyal customers.

Javan Miller, owner



The Difference4	Floor Models7
Door System5	Structure Comparison8-9
Strongback Nailer 6	

30-33

Ez-fit Shed Small Sheds With Big Features

Site Prep	50
ProStruct Flooring	51
Siding 52	2-53
Roof Options	54

Window & Door Options	55
Paint & Stain Colors 56	5-57
Accessories	58
Delivery	59

quality from the inside out

Aluminum Dripedge...page 4

Metal Truss Plates...page 4

Shingle or Metal Roof...page 54

Primed Trim...page 4

Paint or Stain Colors...page 56-57

Strongback Nailer...page 6

2x4" Framing 16" O.C.

Premium Grade Lumber

4x4" Treated Runners



Choice of three Floor Models...page 7

Siding Options...pages 51-53

Triple-layer door system...page 5

discover the Alpine difference

Aluminum Dripedge



Added protection against rain, snow, and ice.

Smartside Soffit and Frieze Board



Standard on Skyview, Cove, and Frontier. Optional on all other styles.

Primed Trim



Standard on all buildings except barnsiding. Decay resistant, primed trim that is ready to face the outdoors.

Metal Truss Plates



Provides superior strength versus wooden gussets.

Double 2x8" top-plate



On Alpine Barnstyles, the rafter is located on outer edge of 2x8" top-plate. Increases wall strength and provides more loft storage.






We've been here since 1981 and we're committed to continue giving you complete satisfaction.

the triple-layer door system

Spring-loaded barrel bolts. Included on top and bottom of door.



111

Layer #1 – Our 2x3" Door frame is built with premium grade lumber and fastened with a metal truss plate for superior strength.

Layer #2 – LP Smartside Siding that resists warping and cracking, and defies termite damage.

Layer #3 – Decay resistant primed trim that is ready to face the outdoors.






6" Heavy-duty T-hinges with bushings. *Standard on Alpine & 2000 Series*.



12" Decorative T-hinges with bushings. *Standard on EZ-Fit Sheds.*

Alpine strongback nailer



A STRONGER WALL
A STRAIGHTER WALL
INCREASED NAILING SURFACE
STANDARD ON ALL HIGH SIDEWALLS

Using computerized components saws, each individual wall stud is cut with a specialized notch. We then install our 2x3" Strongback Nailer, creating a *straighter, stronger wall*, and providing *increased nailing surface* for our siding panels.



FLOOR MODELS

floor models

2000 Series



Floor: ½" CDX Plywood-16" O.C. floor joists 4x4" treated skids


Walls: 24" O.C. wall studs





Standard Model

Floor: ¾" CDX Plywood-16" O.C. floor joists 4x4" treated skids



Balline Ba

Structural Integrity - Flat joists mean more holding power by face-nailing floor joists

Ease of use – Enjoy a minimal step up into your building with this user friendly design.

Larger support area – Actual distance between floor joists is only 121/2"!


Deluxe Model

Why are the floor joists flat vs. on edge?

to 4x4" runners vs. toe-nailing.

Floor: ¾" ProStruct Flooring 16" O.C. treated floor joists 4x4" treated skids

Walls: 16" O.C. wall studs





Supreme Model



Floor: 2x6" Treated Tongue & Groove 4x4" treated skids

Walls: 16" O.C. wall studs





Alpine Structures

Our signature series — the Alpine Structures are bigger buildings, with flexible options. Building sizes start at 8x8' all the way to 16x32' and include special features like a 12" overhang on gable ends and air vents. Careful consideration should be taken when choosing the flooring, the Alpine Structures are available in standard, deluxe and supreme models, for more information see page 7.



6'6" Sidewalls 1-24x36" Aluminum window Bar shutters 52" Double doors 4/12 Pitch roof 2x4" Single top-plate Sizes: 8x8' - 16x32'



4' Sidewalls 52" Double doors 2x8" Double top-plate Storage loft B** Sizes: 8x8' - 14x24



6'6" Sidewalls 52" Double doors 2x8" Double top-plate Storage loft B** Sizes: 8x8' - 16x32'



6'6" Sidewalls 52" Double doors 2x8" Double top-plate Storage loft B** Sizes: 10x12' - 16x32'



6'6" Sidewalls 1-24x36" Aluminum window Bar shutters 52" Double doors 12/12 Pitch roof 2x4" Single top-plate Storage loft B** Sizes: 10x14' - 16x32'



6'6" Sidewalls 1-24x36" Aluminum window Bar shutters 52" Double doors 30" Single door 6/12 Pitch roof 2x4" Single top-plate Sizes: 8x12' - 16x32'



6'6" Sidewalls 2-24x36" Aluminum windows Bar shutters 52" Double doors 30" Single door 8/12 Pitch roof 2x4" Single top-plate Storage loft A* Sizes: 8x12' - 16x32'



6'6" Sidewalls 2-24x36" Aluminum windows Bar shutters 52" Double doors 30" Single door 6/12 Pitch roof 2x4" Double top-plate Storage loft A* Sizes: 8x12' - 16x32'



6'6" Sidewalls

1-18x27", 1-24x36" alum, windows Bar Shutters 52" Double doors 30" Single door 12/12 Pitch roof 2x4" Single top-plate Storage loft A* Sizes: 10x14' - 16x32'



Gable 42' 6'6" Sidewalls Bar Shutters 52" Double doors

1-24x36" Aluminum window 2x4" Single top-plate Sizes: 8x8' - 12x24'

> see page 7 for flooring options!



6'6" Sidewalls 1-24x36" Aluminum window Bar shutters 52" Double doors 2x4" Single top-plate Sizes: 8x8' - 12x24'



 $A^* = 4'$ loft in buildings up to 10' long, 2-4' lofts in buildings over 10' long.





Small Sheds With Big Features Available with standard, deluxe, or supreme floors







6'6" Sidewalls 2 Windows, size varies per shed "Z" Shutters 60" Double doors Decorative hinges 6/12 Pitch roof 6" Fascia 2x4" Double top-plate Storage loft A* Sizes: 8x8' – 12x24'



Our Most Economical Structures Available with 2000, standard, deluxe, or supreme floors



4' Sidewalls 52" Double doors 2x4" Single top-plate Sizes: 8x8' – 12x24'



6'6" Sidewalls 52" Double doors 2x4" Single top-plate Sizes: 8x10' – 12x24'



6'6" Sidewalls 52" Double doors 6/12 Pitch roof 2x4" Single top-plate Sizes: 8x10' – 12x24'



6'6" Sidewalls 1-24x36" Aluminum window 8x6'6" Garage door 36" Single door 2x4" Single top-plate 1-4' Loft Sizes: 12x16' – 12x28' Large Structures

Cabins, Garages & Loft Barns

See page 50 for foundation options.



8' Sidewalls 36" 9-lite entrance door 2x8" Double top-plate Full loft w/steps Sizes: 16x20' – 16x32'



8' Sidewalls 36" 9-lite entrance door 12/12 Pitch roof 2x4" Double top-plate Full loft w/steps Sizes: 16x20' – 24x40'



8' Sidewalls 36" 9-lite entrance door 4/12 Pitch roof 2x4" Double top-plate Sizes: 20x20' – 30x48'



8' Sidewalls 36" 9-lite entrance door 2x8" Double top-plate Full loft w/steps Sizes: 20x20' – 24x40'

see page 50 for site prep details!

9



FLOOR MODELS see page 7 Available in Standard, Deluxe or Supreme

SIDEWALL HEIGHT

6'6" sidewalls (7'1" inside headroom) 7' and 8' sidewalls optional

ROOF

STRUCTURES

ALPINE

4 pitch roof Aluminum dripedge

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x4" single top-plate 4" fascia trim Air vents

DOORS

52" double doors with USA made lockset

WINDOWS

1 - 24x36" window with bar shutters


ELITE PACKAGE INCLUDES

7' sidewalls 6 pitch roof

LOFTS

4' loft building up to 10' long 2-4' loft in buildings over 10' long






Standard 6'6" Sidewalls - 4 Pitch - No Loft Elite Package 7' Sidewalls - 6 Pitch - Loft


BUILDING SIZES ALSO AV



ALSO AVAILABLE WITH 18" OVERHANG (18" o.h. in front and 6" o.h. in back)



12" Overhang



18" Overhang





14x20' with elite package, vinyl siding, and metal roof







Here's what I'm thinking...

"Easy pricing, lots of options, excellent customer service, and a great delivery."

Emily from Pittsburgh, PA May 2021

10x14' Alpine Gable options shown: elite package dimensional shingles 30x36" window w/shutters & flowerbox 24x36" window w/shutters & flowerbox painted dark grey w/white trim. black shutters 41

MILITARA ELITA

Alpine Barnstyle WITH 4' HIGH SIDEWALLS

STANDARD FEATURES

FLOOR MODELS see page 7 Available in Standard, Deluxe or Supreme

SIDEWALL HEIGHT 4' sidewalls

ROOF Aluminum dripedge

CONSTRUCTION

Primed Smartside Siding 2x4" wall framing 2x8" double top-plate Air vents

LOFTS see chart below

DOORS 52" double doors with USA made lockset


BUILDING SIZES

	WIDTH			STD. HEIGHT	LOFT(S)					
	Sec.	8'	10'	12'	14'	16'	20'	24'	mile i a	
	8'	٠	•	٠	1.1.10		8.1.3		8' 6"	2'
ł	10'		•	•	•	•	•		9' 5"	4'
j	12'			٠	•	٠	•	•	9' 8"	two 4'
	14'		11		19	•	•	•	10'	two 4'

POPULAR OPTIONS

Cupola 30 year dimensional shingles Double door threshold





14x20' with transom windows, dim. shingles, and cupola





12

ALPINE STRUCTURES



10x14[°] Alpine Barnstyle 4[°] options shown: 60° doors, ramp painted red w/white trim

Alpine Barnstyle WITH 6'6" HIGH SIDEWALLS

STANDARD FEATURES

FLOOR MODELS see page 7 Available in Standard, Deluxe or Supreme

SIDEWALL HEIGHT

6'6" sidewalls 7' and 8' sidewalls optional

ROOF Aluminum dripedge

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x8" double top-plate Air vents

LOFTS see chart below

DOORS 52" double doors with USA made lockset

POPULAR OPTIONS

Windows 30 year dimensional shingles Cupola Weathervane





16x24' with garage door, 8' sidewalls, window, and dim. shingles


10x24 with 24x27 windows and shutters, loft do



14x28' with windows and shutters, transom windows, and custom ramps

BUILDING SIZES

	WIDTH			DE		STD. HEIGHT	LOFT(S)					
ľ	1.5	8'	10'	12'	14'	16'	20'	24'	28'	32'		
	8'	٠	•	٠	177						11'	2'
	10'		•	•	•	•	•				11' 10"	4'
	12'			•	•	•	•	•	N.		12' 2"	two 4'
	14'					•	•	٠	•	٠	12' 5"	two 4'
	16'				64 S		•	•	•	•	12' 8"	two 4'





Alpine Barnstyle WITH 6'6" HIGH SIDEWALLS & 4' OVERHANG

STANDARD FEATURES

FLOOR MODELS see page 7 Available in Standard, Deluxe or Supreme

SIDEWALL HEIGHT

6'6" sidewalls 7' and 8' sidewalls optional

ROOF

ALPINE STRUCTURES

Aluminum dripedge 4' self-supporting overhang 6' overhang optional 2x6'' rafters

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x8" double top-plate 6" fascia trim Air vents

LOFTS

see chart below

DOORS

52" double doors with USA made lockset

BUILDING SIZES

WIDTH				DEPTH				STD. HEIGHT LOFT(S)
1.0	12'	14'	16'	20'	24'	28'	32'	His and a real
10'	•	•	•	•		The second		11' 10" 4'
12'	٠	•	•	•	•			12' 2" two 4'
14'		1.1	•	•	•	•	•	12' 5" two 4'
16'				•	•	•	•	12' 8" two 4'

POPULAR OPTIONS

Treated deck Posts with "Y" braces Entrance door 7' sidewalls Windows









16



stained driftwood w/black trim





FLOOR MODELS see page 7 Available in Standard, Deluxe or Supreme

SIDEWALL HEIGHT

6'6" sidewalls 7' and 8'sidewalls optional

ROOF

12 pitch roof Aluminum dripedge 4' overhang

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x4" single top-plate 6" fascia trim Air vents 4' treated deck with posts and "Y" braces

LOFTS

2-4' lofts in buildings over 10' long

DOORS


52" double doors with USA made lockset 30" single door with USA made lockset

WINDOWS

1-24x36" window with bar shutters



7' sidewalls Insulated windows 30 year dimensional shingles



BUILDING SIZES

WIDTH			HEIGHT	LOFTS				
	14'	16'	20'	24'	28'	32'		
10'	٠	•	•			194	13'	two-4'
12'		•	•	•			14'	two-4'
14'			•	•			15'	two-4'
16'			•	•	•	•	16'	two-4'





14x20' with 7' sidewalls, transom windows, and dim. shingles



12x14' with 7' walls, dim. shingles, and numerous options





Alpine Cottage

FLOOR MODELS see page 7 Available in Standard, Deluxe or Supreme

SIDEWALL HEIGHT 6'6" sidewalls (7' 1" inside headroom) 7' and 8'sidewalls optional

ROOF

6 pitch roof Aluminum dripedge

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x4" single top-plate 4" fascia trim Air vents 4' treated deck with posts and "Y" braces


DOORS

52" double doors with USA made lockset 30" single door with USA made lockset

WINDOWS

1 - 24x36" window with bar shutters


BUILDING SIZES



7' sidewalls

6 pitch roof

LOFTS



Standard 6'6" Sidewalls - 4 Pitch - No Loft

Elite Package 7' Sidewalls - 6 Pitch - Loft

WIDTH		DEPTH						STD. HEIGHT	ELITE HEIGHT	
	10'	12'	14'	16'	20'	24'	28'	32'	10.5	
8'		•							10' 5"	11' 1"
10'	•	•	•	•	•				10' 11"	11' 7"
12'	3.5	•	•	•	•	•	3/15		11' 5"	12' 1"
14'	1			•	•	•	•	•	12' 1"	12' 9"
16'					•	•	•	•	12' 5"	13' 3"

Note: Gable style buildings with 12", 18" and 42" overhangs do not include a porch floor.

Cottage style buildings include a porch floor.





16x24' with vinyl siding, 8' sidewalls, dim. shingles, steel door, and windows





alpinestructures.net



10x20' Elite Cottage, 6' porch, and many options

ELITE PACKAGE INCLUDES

4' loft in building up to 10' long

2-4' lofts in buildings over 10' long

ALPINE STRUCTURES



10x16[°] Cottage options shown: elite package double 30x36[°] window w/shutters 60^{°°} double doors w/transom windows decorative hinges metal roof 6^{°°} fascia painted beige w/clay trim

WE WE REAL



21

Alpine

Here's what I'm thinking...

"The staff was knowledgeable, easy to work with, and very thorough."

Michael from Pittsburgh, PA August 2020

Alpine Skyview

FLOOR MODELS see page 7 Available in Standard, Deluxe or Supreme

SIDEWALL HEIGHT

6'6" sidewalls 7' and 8' sidewalls optional

ROOF

ALPINE STRUCTURES

8 pitch roof (9 pitch roof on 8x12' Skyview) 8' dormer with transom windows Enclosed soffits Frieze board Aluminum dripedge 30 year dimensional shingles

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x4" single top plate 4" fascia trim Air vents

LOFTS

2-4' lofts in buildings over 10' long

DOORS


52" double doors with USA made lockset 30" single door with USA made lockset

WINDOWS

2 - 24x36" windows with 1 set bar shutters

POPULAR OPTIONS

Transom windows Metal roof Flowerboxes



BUILDING SIZES

WIDTH		STD. HEIGHT						
	12'	14'	16'	20'	24'	28'	32'	1.0.00
8'	•	A.C.				1.32		10' 8"
10'		•	•	•				10' 11"
12'			•	•	•			11' 7"
14'				•	•	•	•	12' 3"
16'				- 6 E	٠	•	٠	12' 11"



10x16' with lap siding and transom windows







Here's what I'm thinking...

"Assembly of my structure was very professional and fast. Extremely happy with my overall experience."

Cheri from Broadview Heights. OH

10x16' Skyview options shown: transom windows 1 - extra 24x36" window stained driftwood w/ black trim

et maine

Alpine Cove

FLOOR MODELS see page 7 Available in Standard, Deluxe or Supreme

SIDEWALL HEIGHT

6'6" sidewalls 7' and 8'sidewalls optional

ROOF

6 pitch roof Aluminum dripedge Enclosed soffits Frieze board 30 year dimensional shingles

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x4" double top-plate 4" fascia trim Air vents

LOFTS

4' loft in buildings up to 10' long 2-4' lofts in buildings over 10' over

DOORS


52" double doors with USA made lockset 30" single door with USA made lockset

WINDOWS

2-24x36" windows with bar shutters

POPULAR OPTIONS

Transom windows Decorative hinges



BUILDING SIZES

WIDTH	Rad	DEPTH									
Sel.	12'	14'	16'	20'	24'	28'	32'				
8'	٠			11,23				9' 9"			
10'		•	٠	•				10' 3"			
12'			٠	•	•	125		10' 9"			
14'				•	•	•	•	11' 3"			
16'				189	•	•	•	10' 9"			









Here's what I'm thinking_

Alpine

X

"Good product, friendly service, excellent builders." Harry from West Aliquippa, PA October 2021

10x16[°] Cove options shown: 60^{°°} double doors transom windows flowerboxes painted dark grey w/white trim

II

P G crotra

Alpine Frontier

FLOOR MODELS see page 7 Available in Standard, Deluxe or Supreme

SIDEWALL HEIGHT

6'6" sidewalls 7' and 8' sidewalls optional

ROOF

12 pitch roof Roof apron on front gable Enclosed soffits Frieze board Aluminum dripedge

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x4" single top-plate 6" fascia trim Air vents

LOFTS

4' loft in buildings up to 10' long 2-4' lofts in buildings over 10' long

DOORS


52" double doors with USA made lockset 30" single door with USA made lockset

WINDOWS

1-24x36" window with bar shutters 1-18x27" window with bar shutters in front gable

POPULAR OPTIONS

Loft railing Captain's ladder to loft Garage Door 7' sidewalls Shake siding



BUILDING SIZES

WIDTH	2.1				3		STD. HEIGHT
	14'	16'	20'	24'	28'	32'	
10'	•	•	•		121		13'
12'			•	•			14'
14'			•	•	•		15'
16'				•	•	•	16'






10x14' with extra windows, transom windows, and ramps



12x16' Frontier options shown: carriage house garage door 7" sidewalls vinyl siding shake siding on gable dimensional shingles vinyl siding: alpine clay w/white trim



-784

0



Here's what I'm thinking... "The entire process was so easy and tailored to my needs! You guys are great!"

Alpine

Jay from Gahanna, OH



FLOOR MODELS see page 7 Available in Standard, Deluxe or Supreme

SIDEWALL HEIGHT

6'6" sidewalls (7' 1" inside headroom) 7' and 8' sidewalls optional

ROOF

4 pitch roof Aluminum dripedge 42" overhang

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x4" single top-plate Air vents

DOORS

52" double doors with USA made lockset

WINDOWS

1- 24x36" window with bar shutters

ELITE PACKAGE INCLUDES


7' sidewalls 6 pitch roof


LOFTS

4' loft in buildings up to 10' long 2-4' lofts in buildings over 10' long









Elite Package 7' Sidewalls - 6 Pitch - Loft



	WIDTH		9.0		DEPTH	-	100	1.1	STD. HEIGHT	ELITE HEIGH
		8'	10'	12'	14'	16'	20'	24'	Shine Sh	
	8'	•	•	•	312				9'	10' 8"
	10'		•	•	•	•	•		9' 4"	11' 2"
	12'		1.03	•	•	•	•	•	9' 8"	11' 8"
8.0			1.1.1		1		100000000			1





alpinestructures.net



options shown: painted clay w/red trim



12 4	
6'6" Sidewalls	
Standard	

6'6" Sidewalls - No Loft





	WIDTH			DEP	STD. HEIGHT	ELITE HEIGHT				
	1	8'	10'	12'	14'	16'	20'	24'		
	8'	•	•	•					9'8"	10'4"
3	10'		•	•	•	•	•		10'2"	10'10"
	12'			•	•	•	•	•	10'5"	11'1"



STANDARD FEATURES

FLOOR MODELS see page 7 Available in Standard, Deluxe or Supreme

SIDEWALL HEIGHT 6'6" sidewalls (7' 1" inside headroom) 7' and 8' sidewalls optional

ROOF Aluminum dripedge

CONSTRUCTION Strongback Nailer

Primed Smartside Siding 2x4" wall framing 2x4" single top-plate 4" fascia trim Air vents

DOORS

52" double doors with USA made lockset

WINDOWS

1- 24x36" window with bar shutters

ELITE PACKAGE INCLUDES

7' sidewalls

LOFTS

4' loft in buildings up to 10' long 2-4' lofts in buildings over 10' long

29

Ez-Fit Sheds

STANDARD FEATURES

FLOOR MODELS see page 7 Available in Standard, Deluxe or Supreme

SIDEWALL HEIGHT

6'6" sidewalls 7' and 8' sidewalls optional

ROOF

6 pitch roof 25 year shingles Aluminum dripedge

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" double top-plate 6" fascia trim Air vents

LOFTS

4' loft in buildings up to 10' long 2-4' lofts in buildings over 10' long

DOORS

60" double doors with USA made lockset 12" Decorative hinges

WINDOWS

"Z" Shutters

	EZ-FIT SHED SIZES									
WIDTH		DE	тн	1				HEIGHT		
	8'	10'	12'	14'	16'	20'	24'			
8'	•	• •	•	1		2/14		9' 9"		
10'		•	•	•	•	•		10' 3"		

10' 9"

Small sheds with big features

THREE BUILDING STYLES



60" double doors 30" single door 2-24x36" windows




HERITAGE 60" double doors

1-24x36" window 1-30x36" window



HOMESTEAD 60" double doors 1- Double 30x36" window





6'6" Sidewalls - 6 Pitch - Loft



10x14' Riverside transom windows, cupola, and many options



10x12' Heritage transom windows, flowerboxes, and dim. shingles





10x14' Heritage with 7' walls, transom windows, and metal roof

12'

10x14' Riverside options shown: dimensional shingles transom windows vinyl flowerboxes 16" cupola weathervane treated ramp painted avocado green w/beige trim EZ-Fit

Here's what I'm thinking...

"I liked the flexibility with customizing my project; speed of construction."

Tyler from Pittsburgh, PA Dec 2020

"They genuinely cared about us. They listened to our dilemma. They promised, they delivered."

Here's what I'm thinking...

EZ-Fit

Al & Connie from Elyria, OH

See page 30 for features, options, and building sizes!

10x12' Homestead options shown: dimensional shingles

transom windows vinyl flowerboxes 16"cupola horse weathervane painted red w/white trim

See page 30 for features, options, and building sizes!

10x12' Heritage options shown: dimensional shingles transom windows vinyl flowerboxes decorative flowerbox holders 16" cupola eagle weathervane painted beige w/clay



Here's what I'm thinking...

EZ-Fit

T

"Friendly, informative, good quality, good value."

Brent from Worthington, OH May 2021

2000 Series WITH 4' HIGH SIDEWALLS

Our 2000 Series sheds offer plenty of storage at an affordable price. Includes 1/2" C.D.X. flooring with optional heavier floors available.

STANDARD FEATURES

FLOOR MODELS see page 7

1/2" C.D.X. plywood floor Available in 2000 Series, Standard, Deluxe or Supreme

SIDEWALL HEIGHT

4' sidewalls

ROOF

Aluminum dripedge 6" roof overhang front and back

CONSTRUCTION

Primed Smartside Siding 2x4" wall framing 2x4" single top-plate Wall framing 24" o.c.

DOORS

52" double doors with USA made lockset

BUILDING SIZES

WIDTH		HEIGHT						
	8'	10'	12'	14'	16'	20'	24'	
8'	•	•	٠	1000				7' 10"
10'		•	•	•	•	•		8' 3"
12' *					•	•	•	8' 7"

*12' wide 2000 Series floor width: 11' 6"


COMPARE TO

Alpine Barnstyle WITH 4' HIGH SIDEWALLS

2000 Series Does Not Include: 2x8" double top plate Lofts Air vents 12" roof overhang front and back 3/4" ProStruct or 2x6" T.G. flooring

2000 Series Includes:

2x4" single top plate 6" roof overhang front and back 1/2" C.D.X. plywood floor Less headroom than Alpine Barnstyle 4' 12' wide 2000 Series floor width: 11' 6"











Our 2000 Series sheds offer plenty of storage at an affordable price. Includes 1/2" C.D.X. flooring with optional heavier floors available.

STANDARD FEATURES

FLOOR MODELS see page 7

1/2" C.D.X. plywood floor Available in 2000 Series, Standard, Deluxe or Supreme

SIDEWALL HEIGHT

6'6" sidewalls

ROOF

2000 SERIES

Aluminum dripedge 6" roof overhang front and back

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x4" single top-plate Wall framing 24" o.c.

DOORS

52" double doors with USA made lockset

BUILDING SIZES

WIDTH		DEPTH								
31	8'	10'	12'	14'	16'	20'	24'			
8'	•	•	٠	11.00				10' 5"		
10'		•	٠	•	•	•		10' 8"		
12' *					•	•	•	10' 11"		

*12' wide 2000 Series floor width: 11' 6"


COMPARE TO



2000 Series Does Not Include: 2x8" double top plate Lofts Air vents 12" roof overhang front and back ¾" ProStruct or 2x6" T.G. flooring

2000 Series Includes:

2x4" single top plate 6" roof overhang front and back ½" C.D.X. plywood floor Less headroom than Alpine Barnstyle 6'6" 12' wide 2000 Series floor width: 11' 6"





12x16' with window and ramp



10x20' with numerous options





10x16[°] 2000 Series 6[°]6[°] options shown: 72[°] doors vents, ridge light ramp painted clay w/white trim

2000 Series Gable

Our 2000 Series sheds offer plenty of storage at an affordable price. Includes 1/2" C.D.X. flooring with optional heavier floors available.

STANDARD FEATURES

FLOOR MODELS see page 7 1/2" C.D.X. plywood floor Available in 2000 Series, Standard, Deluxe or Supreme

SIDEWALL HEIGHT 6'6'' sidewalls

ROOF

Aluminum dripedge 6" roof overhang front and back 6 pitch roof

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x4" single top-plate 4" fascia trim Wall framing 24" o.c.

DOORS

52" double doors with USA made lockset

BUILDING SIZES

WIDTH				DEPTH				HEIGHT
1	8'	10'	12'	14'	16'	20'	24'	
8'		•	•	1653		1000		9' 1"
10'		•	٠	•	•	•		9' 7"
12' *				3	•	•	•	10'


*12' wide 2000 Series floor width: 11' 6"

COMPARE TO

Alpine Gable WITH 12" OVERHANG

2000 Series Gable Does Not Include: 12" roof overhang on all sides lofts air vents ¾" ProStruct or 2x6" T.G. flooring

2000 Series Includes: 2x4" single top plate 6" roof overhang front and back 1/2" C.D.X. plywood floor 12' wide 2000 Series floor width: 11' 6"





8x12' 2000 Series Gable with driftwood stain



10x14' 2000 Series Gable with air vents and ramp





2000

Gable

"The entire process was easy, they kept you informed of everything. Customer service is excellent!"

Denman from Beaver, Falls PA Dec 2020

10x12^{*} 2000 Series Gable options shown: 60[°] doors, ramp, transom windows, vent painted buckskin w/white trim 倉

NIN N

Configuration or second businesses

市市

2000 Series Garage

Our 2000 Series sheds offer plenty of storage at an affordable price.

STANDARD FEATURES

FLOOR MODELS SEE PAGE 7

Available in Deluxe or Supreme 2x4" treated floor joists 12" o.c. 3/4" ProStruct floor

SIDEWALL HEIGHT

6'6" sidewalls - on barnstyle 7' sidewalls - on gable style

ROOF

2000 SERIES

6 pitch roof – on gable style 6" roof overhang front and back Aluminum dripedge

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x4" single top-plate

LOFTS

4' loft in back of building

DOORS


36" single door with USA made lockset 8'x6'6" non-insulated garage door Metal garage door threshold


WINDOWS

1-24x36" aluminum window

TWO BUILDING STYLES







Gable Style Garage

Original Barnstyle Garage

BUILDING SIZES

WIDIH	2014	DEPIH	10.00	1201	BARN: GABL		
-	16'	20'	24'	28'	BARN:	GABLE:	
12'*	•	•	•	•	10' 11"	10' 9'	

*2000 Series Garage floor width: 11' 6'









alpinestructures.net

12x24' 2000 Series Garage, vents



12x20[°] 2000 Series Garage options shown: standard features painted buckskin w/white trim

Alpine Barnstyle Cabin WITH 6' OVERHANG

STANDARD FEATURES

FLOOR MODELS see page 7 see price list for flooring options

SIDEWALL HEIGHT

8' sidewalls (7'1" first floor headroom) 6' rafter (6'5" second floor headroom)

ROOF

6' overhang 2x6'' rafters Aluminum dripedge 30 year dimensional shingles

CONSTRUCTION

Strongback Nailer Primed Smartside Siding Treated deck Posts with "Y" braces 2x4" wall framing Air vents Synthetic felt paper Truss anchor screws

LOFTS


Full loft with steps 2x10" loft joists 16" o.c. below top plate

DOORS

Entrance door with glass

POPULAR OPTIONS

Vinyl insulated windows Ridgevent and vented soffit



	State of the				
	BUH	LDI	NG	SIZ	ES
11/21	A BARRIER OF				and the second

	WIDTH		HEIGHT			
		20'	24'	28'	32'	
2	16'	•	•	•	•	16' 4"







 16x24' Barnstyle Cabin

 options shown:

 30x36" windows

 22" cupola

 weathervane

 painted clay w/avocado green trim

Alpine

Cabin

Here's what I'm thinking...

"I loved the flexibility to customize my shed. We got just the look we wanted."

James from Berea, OH Sept 2021

Alpine A-Frame Cabin WITH 6' OVERHANG

STANDARD FEATURES

FLOOR MODELS see page 7 see price list for flooring options

SIDEWALL HEIGHT 8' sidewalls

ROOF

12 pitch roof Aluminum dripedge 6' overhang 30 year dimensional shingles

CONSTRUCTION

- Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x4" double top-plate Air vents
- Wall studs 16" o.c. 6" fascia trim Synthetic felt paper Truss anchor screws

DOORS

Entrance door with glass

LOFTS

Full loft w/steps, landing, and railing Loft below top plate 2x10" loft joists 16" o.c. 16' wide buildings 14" floor trusses 24" o.c. 20' wide buildings 16" floor trusses 24" o.c. 24' wide buildings


DECKS

6' deck and "Y" posts are standard on 16' wide cabins

6' deck and posts are optional on 20' and 24' wide cabins

POPULAR OPTIONS

Vinyl insulated windows Ridgevent and vented soffit Additional doors



BUILDING SIZES

WIDTH		DEPTH						
	20'	24'	28'	32'	36'	40'		
16'	•	•	•	•			17' 7"	
20'		•	•	•	•	•	19' 9"	
24'		•	•	•	•	•	21' 9"	





Full loft, standard feature. Interior finish/work by customer







Alpine Garages

STANDARD FEATURES

FLOOR MODEL

Permanent foundation required - see page 50.

SIDEWALL HEIGHT 8' sidewalls

ROOF

LARGE STRUCTURES

4 pitch roof Aluminum dripedge OSB roof sheathing 30 year dimensional shingles 12" overhang on all sides

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x4" double top-plate Wall studs 16" o.c. Air vents Synthetic felt paper Truss Anchor Screws

DOORS

Entrance door with glass

B	UILD	ING	SIZES	in the second
1 242			and the second second	

WIDTH		DEPTH						
	20'	24'	28'	32'	36'	40'		
20'	•	•	•	•	•	•	12'	
24'		•	•	•	•	•	12' 10"	

POPULAR OPTIONS


Vinyl insulated windows Ridgevent and vented soffit 8-16' wide garage doors Vinyl siding Steeper roof pitch 2x6" walls

GARAGE DOOR COLORS

.



Due to variables in the printing process, color samples may vary in color and sheen from the actual materials.











24x28' Garage options shown: 2-9x7' garage doors 45° garage door corners 6 pitch roof cupola & weathervane gutters Here's what I'm thinking...

Alpine

V

"Everyone was easy to work with, answered all our questions in a kind and respectful manner. Great customer service."

Martin from Doylestown, OH September 2020

Alpine Loft Barns

STANDARD FEATURES

FLOOR MODELS

Permanent foundation required - see page 50.

SIDEWALL HEIGHT 8' sidewalls

ROOF

LARGE STRUCTURES

Aluminum dripedge 2x6" roof trusses 24" o.c. OSB roof sheathing 30 year dimensional shingles

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing Wall studs 16" o.c. Air vents Synthetic felt paper Steps and railings Truss anchor screws

LOFTS

Full loft (see chart for headroom) Clearspan floor trusses for loft area

DOORS


Entrance door with glass


BUILDING SIZES

WIDTH			DEF	BLDG. HEIGHT	LOFT HEIGHT			
Lin	20'	24'	28'	32'	36'	40'		
20'	٠	•	•	•	•	•	18'	7' 10"
24'		•	•	•	•	•	18' 8"	8' 5"

POPULAR OPTIONS

Vinyl insulated windows Ridgevent and vented soffit 8' Overhang with posts Porch and railing 8'-16' Wide Garage Doors 2x6" Walls











24x40[°] Loft Barn options shown: 8[°] overhang posts with "Y" braces garage door, loft door windows, cupola painted red w/white trim

Alexander .



E)



- Nicking

Vier Vanil



Ţ

Alpine

"The two young men that built my shed were great, nice, and worked hard."

Bill from Chardon, OH October 2021

Site Prep

Alpine Structures offers several of these site-prep options. Ask your salesman for availability in your area.

SMALL STRUCTURES



- 1. Limestone base should be 12" larger than building on four sides.
- 2. Remove 3-4" of sod.
- 3. Fill back in with No. 8 or No. 57 limestone.
- 4. Make sure entire area of limestone is level.



8"x16" x 2" thick concrete patio blocks are placed underneath each skid a maximum of 6' on center.



4x4"s are placed crossways underneath building. 4x4" supported with solid concrete blocks on low side and dug into ground (as needed) on high side.

great for smaller sheds!

LARGE STRUCTURES



Pressure/treated posts with 2x8" stringers for sloped applications.



Pressure/treated posts 8' o.c. with 2x8" treated rim boards and 2x8" treated cap.



Block foundation with frost protected footer and concrete floor.



An Attractive, Durable Finish For Sheds

A flooring designed and warranted specifically for sheds, LP° ProStruct° Flooring with SmartFinish° features a durable overlay for a beautiful, professional-grade appearance. With no knots or voids, it's a welcome change from building with traditional plywood flooring. Plus, unlike plywood shed floors, LP° ProStruct° Flooring with SmartFinish° is treated with the LP° SmartGuard° process for longerlasting performance in a variety of climates/weather.







Features & Benefits

A Shed Floor With Protection Against Decay & Damage

The shed floor you've been searching for is here, specially treated with SmartGuard[®] wood strand technology to resist fungal decay and termite damage.

An Easy Shed Floor Install The LP[®] ProStruct[®] Flooring with SmartFinish[®] installs like conventional floor panels.

Knot and Void Free

Durable overlay for a professional-grade appearance with no knots or voids so your shed floor is as durable as it is attractive.

Longer-Lasting Performance SmartFinish[®] flooring has excellent resistance to warping, splitting and cupping.

Siding Options LP Smartside Siding



Standard on all buildings

A Natural Defense Against Nature

All LP° SmartSide° products are treated to the core through LP's proprietary SmartGuard° process. With four components of protection, the SmartGuard process adds strength and helps LP SmartSide products withstand impacts, freeze/thaw cycles, high humidity, fungal decay and more. Smartside siding is backed by a 50 year prorated limited warranty.

We're proud to offer SmartSide® standard on all of our buildings.



Resin-Saturated Overlay

Offering the final layer of protection against the elements, a resin-saturated overlay resists moisture intrusion while providing a durable base for quality paint adhesion and beauty.

Advanced Binders

LP SmartSide Trim and Siding provide incredible strength to resist impact damage thanks to their industrial grade binders and resins. You'll have the confidence of knowing that your siding can stand up to everyday airborne debris such as hail, sticks, or golf balls.

Waxes

Special water-resistant waxes coat each strand or fiber of wood for enhanced durability in rainy, humid environments.

Zinc Borate

Engineered wood products treated with zinc borate have been proven to effectively resist damage from termites and fungal decay for decades. Safe for children and pets, this naturally occurring additive provides long-lasting performance that preserves the beauty of LP SmartSide Trim and Siding.

LP Horizontal Lap Siding

Standard features

50 year prorated, limited warranty Treated with a Zinc Borate application Resistant to fungal decay and termite damage Primed face





Vinyl Siding

Standard features Double 4" dutchlap siding OSB subsiding & sheathing 4' Ridgevent Available on all sizes & styles

- Options
- Flowerboxes
- Vinyl railing
- Base color includes Siding Corner Trim Soffit

Trim color includes Door Trim Fascia





Vinyl sided buildings come standard with 60" wide Fiberglass slab doors with transom windows. 6 panel and 9 lite doors also available.

alpine white	alpine clay	alpine grey	alpine sandalwood
	The second se		

Due to variables in the printing process, color samples may vary in color and sheen from the actual materials.

53










STANDARD 3-TAB SHINGLES

ROOF



DIMENSIONAL SHINGLES





54

Due to variables in the printing process, color samples may vary in color and sheen from the actual materials.

Window & Door Options

Due to variables in the printing process, color samples may vary in color and sheen from the actual materials.

VINYL SHUTTER & FLOWERBOX COLORS

1. White	4. Green
2. Black	5. Grey
3. Brown	6. Clay

WINDOWS SIZES & STYLES

Insulated

24x36"

36x40"

Aluminum 18x27" 24x36" 30x36" Window with trim
 Wooden Bar Shutters
 Wooden "Z" shutters and vinyl flowerbox
 Vinyl Shutters

1.


4.



DOORS

1. Plain Door

- 2. Diamond bottom (standard)
- 3. Decorative Hinges (standard on EZ-Fit Series)
- 4. Decorative Hinges w/Transom windows
- 5. Fiberglass w/transom windows
- 6. Entrance door w/glass
- 7. Entrance door 6 panel









Paint & Stain Options

STANDARD PAINT & TRIM COLORS

Painting is included with prebuilt structures & optional for built onsite structures.



Due to variables in the printing process, color samples may vary in color and sheen from the actual materials.

.



56



Due to variables in the printing process, color samples may vary in color and sheen from the actual materials.

POPULAR OPTIONS

Here's some of our favorite color schemes!





MISCELLANEOUS OPTIONS


- 1. Treated ramp 48", 60", or 72" width
- 2. Steps and railing
- 3. Steps with landing
- 4. 4' Treated deck
- 5. Shelving
- 6. Loft Ladder












- 1. Cupolas: painted white, 16" or 22"
- 2. 16" Painted cupola with weathervane
- 3. Eagle weathervane
- 4. Rooster weathervane
- 5. Horse weathervane

2







MISCELLANEOUS OPTIONS

- 1. Awning roof
- 2. Post "Y" braces
- 3. Single or double door threshold
- 4. Decorative flowerbox holder
- 5. 12" Decorative hinges Std. on EZ-Fit Series











58

Built On-Site Structures

- Available in any size building .
- **Onsite construction eliminates** . access problems
- Prefabricated panels & trusses • are built in our facility
- **Optional Painting/Staining** • Painted by our team before we deliver!



Built on-site structures are prefabricated in our facility and assembled on the job-site, allowing us to build your shed right on the spot. Painting is optional.









Prebuilt Structures

- Available in smaller sheds (contact salesman for size limitations)
- Access needed to site .
- Delivered fully assembled .
- **Includes** Painting • (with Smartside Siding)
- Mule Delivery available upon request •



Prebuilt structures are assembled in our facility and delivered to your site by truck and trailer. Painting is included on buildings with smartside siding.









Doors Back

Doors Passenger

Mule delivery

Alpine STRUCTURES

email sales@alpinestructures.net *phone* 330.359.5708 • 800.359.7522



2675 US 62 · Dundee, Ohio 44624 | Located 1.5 miles West of Winesburg, Ohio | Contractor #PA039333, WV050269 | ©2022

