Alpine STRUCTURES

Restructure your backyard!



Built On-Site & Pre-Built Structures



Not all buildings are created equal.

It all started one winter many years ago, in a small shop where our first storage barns were built. By the end of the year, our founder, Mose Miller, realized the need for storage buildings, and in 1981 Alpine Structures was born. As we continue to grow, Alpine Structures remains dedicated to providing highquality products with excellent customer service. Our success is credited first and foremost to God who has blessed us abundantly with wonderful employees and loyal customers.

Javan Miller, owner



The Difference4	Floor Models7
Door System5	Structure Comparison8-9
Strongback Nailer 6	

32-37

Ez-fit Shed Small Sheds With Big Features

Site Prep	.54
ProStruct Flooring	. 55
Siding 56	-57
Roof Options	. 58

Window & Door Options	59
Paint & Stain Options 60)-61
Accessories	62
Delivery	63

quality from the inside out

Aluminum Dripedge...page 4

Metal Truss Plates...page 4

Shingle or Metal Roof...page 58

Primed Trim...page 4

Paint or Stain Colors...page 60-61

Strongback Nailer...page 6

2x4" Framing 16" O.C.

Premium Grade Lumber

4x4" Treated Runners



Choice of three Floor Models...page 7

Siding Options...pages 56-57

Triple-layer door system...page 5

discover the Alpine difference

Aluminum Dripedge



Added protection against rain, snow, and ice.

Smartside Soffit and Frieze Board



Standard on Cabana, Cove, Frontier, and Skyview. Optional on other styles.

Primed Trim



Standard on all buildings except barnsiding. Decay resistant, primed trim that is ready to face the outdoors.

Metal Truss Plates



Provides superior strength versus wooden gussets.

Double 2x8" top-plate



On Alpine Barnstyles, the rafter is located on outer edge of 2x8" top-plate. Increases wall strength and provides more loft storage.






We've been here since 1981 and we're committed to continue giving you complete satisfaction.

the triple-layer door system

0

國

Spring-loaded barrel bolts. Included on top and bottom of door.



111

Layer #1 – Our 2x3" Door frame is built with premium grade lumber and fastened with a metal truss plate for superior strength.

Layer #2 – LP Smartside Siding that resists warping and cracking, and defies termite damage.

Layer #3 – Decay resistant primed trim that is ready to face the outdoors.






6" Heavy-duty T-hinges with bushings. *Standard on Alpine & 2000 Series*.



12" Decorative T-hinges with bushings. *Standard on EZ-Fit Sheds.*

Alpine strongback nailer



A STRONGER WALL
A STRAIGHTER WALL
INCREASED NAILING SURFACE
STANDARD ON ALL HIGH SIDEWALLS

Using computerized components saws, each individual wall stud is cut with a specialized notch. We then install our 2x3" Strongback Nailer, creating a *straighter, stronger wall*, and providing *increased nailing surface* for our siding panels.




floor models

Standard Model



Floor:¾" CDX Plywood-16" O.C. floor joists4x4" treated skids

Walls: 24" O.C. wall studs





Deluxe Model

to 4x4" runners vs. toe-nailing.

Floor:

%" ProStruct Flooring 16" O.C. treated floor joists 4x4" treated skids

Walls: 16" O.C. wall studs




Why are the floor joists flat vs. on edge?

Structural Integrity - Flat joists mean more holding power by face-nailing floor joists

Ease of use – Enjoy a minimal step up into your building with this user friendly design.

Larger support area – Actual distance between floor joists is only 121/2"!





Supreme Model

Floor: 2x6" Treated Tongue & Groove 4x4" treated skids Walls: 16" O.C. wall studs



+ 16" + 16" + 16" -| 2x4" Top/Plate 2X3" Strongback Naile Wood/Vinyl Siding 2x4" Bottom/Plate

7

COMPARISON

Alpine Structures

10

Gable 12" O.H.

1-24x36" Aluminum window

Cottage

1-24x36" Aluminum window

6'6" Sidewalls

Bar shutters

52" Double doors

30" Single door

6/12 Pitch roof

2x4" Single top-plate

Sizes: 8x12' - 16x32'

22

6'6" Sidewalls

Bar shutters

52" Double doors

2x4" Single top-plate

Sizes: 8x8' - 16x32'

4/12 Pitch roof

Our signature series — the Alpine Structures are bigger buildings, with flexible options. Building sizes start at 8x8' all the way to 16x32' and include special features like a 12'' overhang on gable ends and air vents. Careful consideration should be taken when choosing the flooring, the Alpine Structures are available in deluxe and supreme models, for more information see page 7.



flooring options!

 $A^* = 4'$ loft in buildings up to 10' long, 2-4' lofts in buildings over 10' long.

 $B^{**} = 2'$ loft in 8' wide buildings, 4' loft in 10' wides, 2-4' lofts in 12', 14', and 16' wides.



EZ-Fit Sheds

Small Sheds With Big Features Available with deluxe or supreme floors

Ez-Fit Shed Standard Features 6'6" Sidewalls "Z" Shutters Decorative hinges 6/12 Pitch roof 6" Fascia 2x4" Double top-plate Storage loft A* Sizes: 8x8' – 12x24'



30" single door 2-24x36" windows



60" double doors 1-30x36" double window

34

Homestead

60" double doors 1-24x36" window 1-30x36" window



6'6" Sidewalls 24x47" Windows, amount varies by size 30" Single door with double transom windows Decorative hinges 6 Pitch roof Sun Sky roof

2x4" Double top-plate 24" wide shelving Sizes: 8x8' – 10x16'

2000 Series

Our Most Economical Structures Available with standard, deluxe, or supreme floors



4' Sidewalls 52" Double doors 2x4" Single top-plate Sizes: 8x8' – 12x24'

6'6" Sidewalls

52" Double doors

2x4" Single top-plate

Sizes: 8x10' - 12x24'







6'6" Sidewalls 52" Double doors 6/12 Pitch roof 2x4" Single top-plate Sizes: 8x10' – 12x24'

6'6" Sidewalls 1-24x36" Alum. window 8x6'6" Garage door 36" Single door 2x4" Single top-plate 1-4' Loft Sizes: 12x16' – 12x28' Structures

Cabins, Garages & Loft Barns See page 54 for foundation options.



^{8&#}x27; Sidewalls 36" 9-lite entrance door 2x8" Double top-plate Full loft w/steps Sizes: 16x20' – 16x32'



8' Sidewalls 36" 9-lite entrance door 12/12 Pitch roof 2x4" Double top-plate Full loft w/steps Sizes: 16x20' – 24x40'



8' Sidewalls 36" 9-lite entrance door 4/12 Pitch roof 2x4" Double top-plate Sizes: 20x20' – 30x48'



8' Sidewalls 36" 9-lite entrance door 2x8" Double top-plate Full loft w/steps Sizes: 20x20' – 24x40'

see page 54 for site prep details!

9



FLOOR MODELS see page 7 Available in Deluxe or Supreme

SIDEWALL HEIGHT

6'6" sidewalls (7'1" inside headroom) 7' and 8' sidewalls optional

ROOF

STRUCTURES

ALPINE

4 pitch roof Aluminum dripedge

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x4" single top-plate 4" fascia trim Air vents

DOORS

52" double doors with USA made lockset


WINDOWS


ELITE PACKAGE INCLUDES

7' sidewalls 6 pitch roof

LOFTS

4' loft building up to 10' long 2-4' loft in buildings over 10' long






Standard 6'6" Sidewalls - 4 Pitch - No Loft

Elite Package 7' Sidewalls - 6 Pitch - Loft

ALSO AVAILABLE WITH 18" OVERHANG (18" o.h. in front and 6" o.h. in back)











1 - 24x36" window with bar shutters

BUILDING SIZES

WIDTH	3		DE	PTH	1.11	1		121		STD. HEIGHT	ELITE HEIGHT
	8'	10'	12'	14'	16'	20'	24'	28'	32'	1.151	
8'	•	•	•	Sec. 18		1.26				8' 8"	10'2"
10'		•	•	•	•	•				9'	10'8"
12'		98	٠	•	•	•	•			9' 4"	11'2"
14'		THE.			•	•	•	•	•	9' 8"	11'8"
16'				5 201		•	•	•	٠	10"	12'2"



Here's what I'm thinking...

"The delivery driver was very knowledgeable and did a wonderful job."

Kevin from Canton, OH May 2022

10x14' Alpine Gable options shown: elite package dimensional shingles 30x36" window w/shutters & flowerbox 24x36" window w/shutters & flowerbox painted dark grey w/white trim. black shutters -

4

ALCONCERCENTING

Alpine Cabana

FLOOR MODELS see page 7 Available in Deluxe or Supreme

SIDEWALL HEIGHT

6'6" sidewalls on 10' and 12' wide buildings 7' sidewalls on 8' wide buildings

ROOF

3 pitch roof 2x6" rafters Enclosed soffits Frieze board Metal roof 16" front overhang with rough sawn rafters

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x4" single top-plate 6" Fascia trim Air vents

DOORS


52" double doors with USA made lockset 30" single door with USA made lockset

WINDOWS

2- 24"x47" windows with trim

POPULAR OPTIONS

Transom windows Decorative hinges



BUILDING SIZES

	WIDTH			DEPTH		ALEY	STD. HEIGHT
	Sulf?	12'	14'	16'	20'	24'	10112
100	8'	•			-		10' 4"
	10'	•	•	•	•		10' 1"
31	12'				•	•	10' 7"







ALPINE STRUCTURES



Here's what I'm thinking...

"This was our third barn in 4 years. We're very happy!" Marik from Baltimore. OH June 2022

10x14' Alpine Cabana options shown: transom windows ramp painted white w/light grey trim, dark grey doors

designed and a second

Alpine Barnstyle WITH 4' HIGH SIDEWALLS

STANDARD FEATURES

FLOOR MODELS see page 7 Available in Deluxe or Supreme

SIDEWALL HEIGHT 4' sidewalls

ROOF Aluminum dripedge

ALPINE STRUCTURES

CONSTRUCTION

Primed Smartside Siding 2x4" wall framing 2x8" double top-plate Air vents

LOFTS

DOORS

see chart below

52" double doors with USA made lockset

BUILDING SIZES


WIDTH			DEF	STD. HEIGHT	LOFT(S)				
1.	8'	10'	12'	14'	16'	20'	24'		
8'	•	•	٠	- 6		10153		8' 6"	2'
10'		•	٠	•	•	•		9' 5"	4'
12'			٠	•	•	•	•	9' 8"	two 4'
14'				12 2	•	•	•	10'	two 4'

POPULAR OPTIONS

30 year dimensional shingles Double door threshold

Cupola





14x20' with transom windows, dim. shingles, and cupola







10x14[°] Alpine Barnstyle 4[°] options shown: 60° doors, ramp painted red w/white trim

Alpine Barnstyle WITH 6'6" HIGH SIDEWALLS

STANDARD FEATURES

FLOOR MODELS see page 7 Available in Deluxe or Supreme

SIDEWALL HEIGHT

6'6" sidewalls 7' and 8' sidewalls optional

ROOF Aluminum dripedge

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x8" double top-plate Air vents

LOFTS see chart below

DOORS 52" double doors with USA made lockset

POPULAR OPTIONS

Windows 30 year dimensional shingles Cupola Weathervane






16x24' with 24x27" windows and shutters, loft doo 10' ridgelite and ridgevent, and custom ramp



14x28' with windows and shutters, transom windows, and custom ramps

BUILDING SIZES

	WIDTH		-	DE	PTH		1			in pair	STD. HEIGHT	LOFT(S)
5	N. N.	8'	10'	12'	14'	16'	20'	24'	28'	32'	S. Alan	
	8'	•	•	•	18						11'	2'
	10'		•	•	•	•	•		ЗЦ.		11' 10"	4'
	12'		24	•	•	•	•	•			12' 2"	two 4'
	14'				1	•	•	•	•	•	12' 5"	two 4'
	16'						•	•	•	•	12' 8"	two 4'





Alpine Barnstyle WITH 6'6" HIGH SIDEWALLS & 4' OVERHANG

STANDARD FEATURES

FLOOR MODELS see page 7 Available in Deluxe or Supreme

SIDEWALL HEIGHT

6'6" sidewalls 7' and 8' sidewalls optional

ROOF

ALPINE STRUCTURES

Aluminum dripedge 4' self-supporting overhang 6' overhang optional 2x6'' rafters

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x8" double top-plate 6" fascia trim Air vents

LOFTS

see chart below

DOORS

52" double doors with USA made lockset

BUILDING SIZES

WIDTH				DEPTH				
	12'	14'	16'	20'	24'	28'	32'	and a state of the state of the
10'	•	•	•	•				11' 10" 4'
12'	•	•	•	•	•			12' 2" two 4'
14'		Sec.	•	•	•	•	•	12' 5" two 4'
16'				•	•	•	•	12' 8" two 4'

POPULAR OPTIONS

Treated deck Posts with "Y" braces Entrance door 7' sidewalls Windows











stained driftwood w/black trim

a 19



FLOOR MODELS see page 7 Available in Deluxe or Supreme

SIDEWALL HEIGHT

6'6" sidewalls 7' and 8'sidewalls optional

ROOF

12 pitch roof Aluminum dripedge 4' overhang

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x4" single top-plate 6" fascia trim Air vents 4' treated deck with posts and "Y" braces

LOFTS

2-4' lofts in buildings over 10' long

DOORS


52" double doors with USA made lockset 30" single door with USA made lockset

WINDOWS

1-24x36" window with bar shutters



7' sidewalls Insulated windows 30 year dimensional shingles



BUILDING SIZES

	WIDTH	16-10		DEF	in the	HEIGHT	LOFTS		
	5.0	14'	16'	20'	24'	28'	32'		
10	10'	٠	•	•	Q.A.H			13'	two-4'
	12'		•	•	•			14'	two-4'
	14'			•	•		30	15'	two-4'
	16'		11-20	•	•	•	•	16'	two-4'





14x20' with 7' sidewalls, transom windows, and dim. shingles



12x14' with 7' walls, dim. shingles, and numerous options





Alpine Cottage

FLOOR MODELS see page 7 Available in Deluxe or Supreme

SIDEWALL HEIGHT 6'6" sidewalls (7' 1" inside headroom) 7' and 8'sidewalls optional

ROOF

ALPINE STRUCTURES

6 pitch roof Aluminum dripedge

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x4" single top-plate 4" fascia trim Air vents 4' treated deck with posts and "Y" braces

DOORS

52" double doors with USA made lockset 30" single door with USA made lockset

WINDOWS

1 - 24x36" window with bar shutters


BUILDING SIZES



7' sidewalls

6 pitch roof

LOFTS



Standard 6'6" Sidewalls - 4 Pitch - No Loft

Elite Package 7' Sidewalls - 6 Pitch - Loft

WIDTH DEPTH STD. HEIGHT ELITE HEIGHT 10' 12' 14' 16' 20' 24' 28' 32' 8' . 10' 5" 11' 1" 10' 11' 7" • • • . 10' 11" . 12' 11' 5" 12' 1" • . • . • 14' 12' 1" 12' 9" 16' . • 12' 5" 13' 3" . .

Note: Gable style buildings with 12", 18" and 42" overhangs do not include a porch floor.

ELITE PACKAGE INCLUDES

4' loft in building up to 10' long

2-4' lofts in buildings over 10' long

Cottage style buildings include a porch floor.





16x24' with vinyl siding, 8' sidewalls, dim. shingles, steel door, and windows





alpinestructures.net

10x20' Elite Cottage, 6' porch, and many options



 10x16' Cottage

 options shown:

 elite package

 double 30x36" window with shutters

 transom windows

 metal roof

 6" posts

 painted dark grey w/white trim, black shutters



Alpine

Here's what I'm thinking...

"Kenny was phenomenal. He was patient and went above and beyond to help us."

Cassidy from Canal Winchester July 2022

23

Alpine Skyview

FLOOR MODELS see page 7 Available in Deluxe or Supreme

SIDEWALL HEIGHT

6'6" sidewalls 7' and 8' sidewalls optional

ROOF

8 pitch roof (9 pitch roof on 8x12' Skyview) 8' dormer with transom windows Enclosed soffits Frieze board Aluminum dripedge 30 year dimensional shingles

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x4" single top plate 4" fascia trim Air vents

LOFTS

2-4' lofts in buildings over 10' long

DOORS


52" double doors with USA made lockset 30" single door with USA made lockset

WINDOWS

2 - 24x36" windows with 1 set bar shutters

POPULAR OPTIONS

Transom windows Metal roof Flowerboxes



BUILDING SIZES

WID	тн				DEPTH		STD. HEIGHT		
		12'	14'	16'	20'	24'	28'	32'	1940.28
8'	R	•	1				12.		10' 8"
10	110		•	•	•		-2.4		10' 11"
12	5		24	•	•	•	1.000		11' 7"
14					•	•	•	•	12' 3"
16			200		14	•	•	•	12' 11"



10x16' with lap siding and transom windows





Alpine

A MARIAN

"We love our barn. The workmanship is amazing." Richard from Warren, OH August 2022

10x16' Skyview options shown: transom windows 1 - extra 24x36" window stained driftwood w/ black trim

25

Alpine Cove

FLOOR MODELS see page 7 Available in Deluxe or Supreme

SIDEWALL HEIGHT

6'6" sidewalls 7' and 8'sidewalls optional

ROOF

6 pitch roof Aluminum dripedge Enclosed soffits Frieze board 30 year dimensional shingles

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x4" double top-plate 4" fascia trim Air vents

LOFTS

4' loft in buildings up to 10' long 2-4' lofts in buildings over 10' over

DOORS


52" double doors with USA made lockset 30" single door with USA made lockset

WINDOWS

2-24x36" windows with bar shutters

POPULAR OPTIONS

Transom windows Decorative hinges



BUILDING SIZES

	WIDTH	TH DEPTH										
	5,0	12'	14'	16'	20'	24'	28'	32'				
10	8'	•	1221		S.D.		-2-1		9' 9"			
	10'		•	٠	•		1.000		10' 3"			
	12'			٠	•	•			10' 9"			
	14'		1000		•	•	•		11' 3"			
	16'		000		13	•	•	•	10' 9"			









Here's what I'm thinking...

Alpine

"I had a great overall experience from beginning to the end."

Lois from Monaca, PA September 2022

10x16[°] Cove options shown: 60^{°°} double doors transom windows flowerboxes painted dark grey w/white trim P aretta

Alpine Frontier

FLOOR MODELS see page 7 Available in Deluxe or Supreme

SIDEWALL HEIGHT

6'6" sidewalls 7' and 8' sidewalls optional

ROOF

12 pitch roof Roof apron on front gable Enclosed soffits Frieze board Aluminum dripedge

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x4" single top-plate 6" fascia trim Air vents

LOFTS

4' loft in buildings up to 10' long 2-4' lofts in buildings over 10' long

DOORS


52" double doors with USA made lockset 30" single door with USA made lockset

WINDOWS

1-24x36" window with bar shutters 1-18x27" window with bar shutters in front gable

POPULAR OPTIONS

Loft railing Captain's ladder to loft Garage Door 7' sidewalls Shake siding



BUILDING SIZES

	WIDTH	E.			No.	1995	MIC	STD. HEIGHT
		14'	16'	20'	24'	28'	32'	
10	10'	•	•	•		6		13'
l.	12'	(Parties		•	•	3.50		14'
	14'			•	•	•		15'
	16'	14			•	•	•	16'





10x14' with extra windows, transom windows, and ramps



12x16' Frontier options shown: carriage house garage door 7" sidewalls vinyl siding shake siding on gable dimensional shingles vinyl siding: alpine clay w/white trim THE .

-

Alpine

Here's what I'm thinking...

"I will be sure to tell everyone about our great experience."

Victor from Grafton, OH August 2022

29



FLOOR MODELS see page 7 Available in Deluxe or Supreme

SIDEWALL HEIGHT

6'6" sidewalls (7' 1" inside headroom) 7' and 8' sidewalls optional

ROOF

ALPINE STRUCTURES

4 pitch roof Aluminum dripedge 42" overhang

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x4" single top-plate Air vents

DOORS

52" double doors with USA made lockset

WINDOWS

1- 24x36" window with bar shutters


ELITE PACKAGE INCLUDES

7' sidewalls 6 pitch roof

LOFTS

4' loft in buildings up to 10' long 2-4' lofts in buildings over 10' long






Standard



6'6" Sidewalls - 4 Pitch - No Loft 7' Sidew





WIDTH	1			STD. HEIGHT	ELITE HEIGHT				
	8'	10'	12'	14'	16'	20'	24'	a hard	
8'	•	•	•					9'	10' 8"
10'		•	•	•	•	•		9' 4"	11' 2"
12'			•	•	•	•	•	9' 8"	11' 8"
21 201	C. I.C. III	100.1	100.00	1.1		2663			1.000








10x12' Quaker options shown: painted clay w/red trim





6'6" Sidewalls - No Loft



BUILDING SIZES

	WIDTH			DEF	STD. HEIGHT	ELITE HEIGHT				
	513	8'	10'	12'	14'	16'	20'	24'		
	8'	٠	•	•	7				9'8"	10'4"
16	10'		•	•	•	•	•		10'2"	10'10"
10	12'			•	•	•	•	•	10'5"	11'1"



STANDARD FEATURES

FLOOR MODELS see page 7 Available in Deluxe or Supreme

SIDEWALL HEIGHT 6'6" sidewalls (7' 1" inside headroom) 7' and 8' sidewalls optional

ROOF Aluminum dripedge

- Alumnum unpeuge
- **CONSTRUCTION** Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x4" single top-plate 4" fascia trim Air vents

DOORS

52" double doors with USA made lockset

WINDOWS

1- 24x36" window with bar shutters

ELITE PACKAGE INCLUDES

7' sidewalls

LOFTS

4' loft in buildings up to 10' long 2-4' lofts in buildings over 10' long



Ez-Fit Sheds

STANDARD FEATURES

FLOOR MODELS see page 7 Available in Deluxe or Supreme

SIDEWALL HEIGHT

6'6" sidewalls 7' and 8' sidewalls optional

ROOF

6 pitch roof 25 year shingles Aluminum dripedge

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" double top-plate 6" fascia trim Air vents

LOFTS

4' loft in buildings up to 10' long 2-4' lofts in buildings over 10' long

DOORS

60" double doors with USA made lockset 12" Decorative hinges

WINDOWS

"Z" Shutters

	EZ-	FI'	TS	SH	ED	S1		ES		
WIDTH		DEF	тн					HEIGHT		
M. S. M.	8'	10'	12'	14'	16'	20'	24'			
8'	•	•	٠	QL 1.8		guies.		9' 9"		
10'		•	٠	•	•	•		10' 3"		

• 10'9"

.

Small sheds with big features

THREE BUILDING STYLES

RIVERSIDE

60" double doors 30" single door 2-24x36" windows




HERITAGE 60" double doors

1-24x36" window 1-30x36" window



HOMESTEAD 60" double doors 1- Double 30x36" window






6'6" Sidewalls - 6 Pitch - Loft





10x12' Heritage transom windows, flowerboxes, and dim. shingles





10x14' Heritage with 7' walls, transom windows, and metal roof

12'



10x14' Riverside options shown: dimensional shingles transom windows vinyl flowerboxes 16" cupola weathervane treated ramp

painted avocado green w/beige trim

EZ-Fit

Here's what I'm thinking...

"The installers were on time, professional, very nice guys."

Tom from Brecksville, OH September 2022

"Thanks! You have the best buildings!" Mike from Hayesville, OH August 2022

Here's what I'm thinking...

EZ-Fit

6

See page 32 for features, options, and building sizes!

10x12[°] Homestead options shown: dimensional shingles

transom windows vinyl flowerboxes 16"cupola horse weathervane painted red w/white trim

See page 32 for features, options, and building sizes!

10x12' Heritage options shown: dimensional shingles transom windows vinyl flowerboxes decorative flowerbox holders 16" cupola eagle weathervane painted beige w/clay



Here's what I'm thinking...

EZ-Fit

T

"The shed is beautiful and high quality." Randall from cuyahoga Falls, OH October 2022

Ez-Fit Greenhouse

STANDARD FEATURES

FLOOR MODELS see page 7 Available in Deluxe or Supreme

SIDEWALL HEIGHT

6'6' sidewalls 7' and 8' sidewalls available

ROOF

6 pitch roof Sun Sky roofing

CONSTRUCTION

Strongback nailer Primed Smartside Siding 2x4" double top plate air vents

SHELVING

24" wide molded greenhouse shelving


DOORS


30" single door with double transom windows

WINDOWS

24x47" windows, amount varies by size of greenhouse. See chart in next column.

GREENHOUSE SIZES













8x12' Greenhouse options shown: 7' walls painted dark grey w/white trim

2000 Series WITH 4' HIGH SIDEWALLS

Our 2000 Series sheds offer plenty of storage at an affordable price. Includes 3/4" C.D.X. flooring with optional heavier floors available.

STANDARD FEATURES

FLOOR MODELS see page 7 3/4" C.D.X. plywood floor Available in Standard, Deluxe or Supreme

SIDEWALL HEIGHT

4' sidewalls

ROOF

Aluminum dripedge 6" roof overhang front and back

CONSTRUCTION

Primed Smartside Siding 2x4" wall framing 2x4" single top-plate Wall framing 24" o.c. Air vents

DOORS

52" double doors with USA made lockset

BUILDING SIZES

WIDTH		DEPTH								
	8'	10'	12'	14'	16'	20'	24'			
8'	٠	•	٠	163				7' 10"		
10'		•	٠	•	•	•		8' 3"		
12' *				ML.	•	•	•	8' 7"		

*12' wide 2000 Series floor width: 11' 6"


COMPARE TO

Alpine Barnstyle WITH 4' HIGH SIDEWALLS

2000 Series Does Not Include: 2x8" double top plate Lofts 12" roof overhang front and back 3/4" ProStruct or 2x6" T.G. flooring

2000 Series Includes:

2x4" single top plate 6" roof overhang front and back 3/4" C.D.X. plywood floor Less headroom than Alpine Barnstyle 4' 12' wide 2000 Series floor width: 11' 6"









10x12' 2000 Series 60" doors and ramp



standard features painted buckskin w/white trim

2000 Series/ WITH 6'6" HIGH SIDEWALLS

Our 2000 Series sheds offer plenty of storage at an affordable price. Includes 3/4" C.D.X. flooring with optional heavier floors available.

STANDARD FEATURES

FLOOR MODELS see page 7 3/4" C.D.X. plywood floor Available in Standard, Deluxe, or Supreme

SIDEWALL HEIGHT 6'6'' sidewalls

ROOF

2000 SERIES

Aluminum dripedge 6" roof overhang front and back

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x4" single top-plate Wall framing 24" o.c. Air vents

DOORS

52" double doors with USA made lockset

BUILDING SIZES

WIDTH		DEPTH							
	8'	10'	12'	14'	16'	20'	24'		
8'	٠	•	٠	134		13315		10' 5"	
10'		•	٠	•	•	•		10' 8"	
12' *					•	•	•	10' 11"	

*12' wide 2000 Series floor width: 11' 6"


COMPARE TO

Alpine Barnstyle with 6'6" HIGH SIDEWALLS

2000 Series Does Not Include:
2x8" double top plate
Lofts
12" roof overhang front and back
¾" ProStruct or 2x6" T.G. flooring

2000 Series Includes:

2x4" single top plate
6" roof overhang front and back
¾" C.D.X. plywood floor
Less headroom than Alpine Barnstyle 6'6"
12' wide 2000 Series floor width: 11' 6"





12x16' with window and ramp



10x20' with numerous options





10x16² 2000 Series 6⁶" options shown: 72" doors ridge light ramp painted clay w/white trim Jeff from Canal Winchester, OH August 2022

2000 Series Gable

Our 2000 Series sheds offer plenty of storage at an affordable price. Includes 3/4" C.D.X. flooring with optional heavier floors available.

STANDARD FEATURES

FLOOR MODELS see page 7 3/4" C.D.X. plywood floor Available in Standard, Deluxe, or Supreme

SIDEWALL HEIGHT 6'6'' sidewalls

2000 SERIES

ROOF Aluminum dripedge 6" roof overhang front and back 6 pitch roof

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x4" single top-plate 4" fascia trim Wall framing 24" o.c. Air vents

DOORS

52" double doors with USA made lockset

BUILDING SIZES

v	VIDTH		DEPTH							
		8'	10'	12'	14'	16'	20'	24'		
8	3'		•	٠	1673		1.35		9' 1"	
1	0'		•	٠	•	•	•		9' 7"	
1	12' *		in the second se		AL.	•	•	•	10'	

*12' wide 2000 Series floor width: 11' 6"


alpinestructures.net

COMPARE TO



2000 Series Gable Does Not Include:
12" roof overhang on all sides lofts
³4" ProStruct or 2x6" T.G. flooring

2000 Series Includes: 2x4" single top plate 6" roof overhang front and back 3/4" C.D.X. plywood floor 12' wide 2000 Series floor width: 11' 6"







10x14' 2000 Series Gable with air vents and ramp



10x12' 2000 Series Gable options shown: 60" doors, ramp, transom windows painted buckskin w/white trim 自

Contraction of the second second

南部三

2000

Gable

Here's what I'm thinking...

"I liked the barn I got last year so much I got another one."

Roberta from Wooster, OH October 2022

2000 Series Garage

Our 2000 Series sheds offer plenty of storage at an affordable price.

STANDARD FEATURES

FLOOR MODELS see page 7 Available in Deluxe or Supreme 2x4" treated floor joists 12" o.c. 3/4" ProStruct floor

SIDEWALL HEIGHT 6'6" sidewalls - on barnstyle

7' sidewalls – on gable style

ROOF

6 pitch roof – on gable style 6" roof overhang front and back Aluminum dripedge

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x4" single top-plate Air vents

LOFTS

4' loft in back of building

DOORS


36" single door with USA made lockset 8'x6'6" non-insulated garage door Metal garage door threshold

WINDOWS

1-24x36" aluminum window

TWO BUILDING STYLES





10' 11"

Gable Style Garage

12'*

•

Original Barnstyle Garage

10' 9'



.

*2000 Series Garage floor width: 11' 6"

•

.











12x20[°] 2000 Series Garage options shown: standard features painted buckskin w/white trim

Alpine Barnstyle Cabin WITH 6' OVERHANG

STANDARD FEATURES

FLOOR MODELS see page 7 see price list for flooring options

SIDEWALL HEIGHT

8' sidewalls (7'1" first floor headroom) 6' rafter (6'5" second floor headroom)

ROOF

6' overhang 2x6'' rafters Aluminum dripedge 30 year dimensional shingles

CONSTRUCTION

Strongback Nailer Primed Smartside Siding Treated deck Posts with "Y" braces 2x4" wall framing Air vents Synthetic felt paper Truss anchor screws

LOFTS


Full loft with steps 2x10" loft joists 16" o.c. below top plate

DOORS

Entrance door with glass

POPULAR OPTIONS

Vinyl insulated windows Ridgevent and vented soffit





WIDTH	DEPTH				HEIGHT
	20'	24'	28'	32'	1
16'	•	•	•	•	16' 4"







16x24' Barnstyle Cabin options shown: 30x36" windows 22" cupola weathervane painted clay w/avocado green trim Alpine

Cabin

Here's what I'm thinking...

"The men who delivered my building were wonderful They did a great job and cleaned up."

Lisa from Moundsville, WV October 2022

Alpine A-Frame Cabin WITH 6' OVERHANG

STANDARD FEATURES

FLOOR MODELS see page 7 see price list for flooring options

SIDEWALL HEIGHT 8' sidewalls

11 August

ROOF

12 pitch roof Aluminum dripedge 6' overhang 30 year dimensional shingles

CONSTRUCTION

- Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x4" double top-plate Air vents
- Wall studs 16" o.c. 6" fascia trim Synthetic felt paper Truss anchor screws

DOORS

Entrance door with glass

LOFTS

Full loft w/steps, landing, and railing Loft below top plate 2x10" loft joists 16" o.c. 16' wide buildings 14" floor trusses 24" o.c. 20' wide buildings 16" floor trusses 24" o.c. 24' wide buildings


DECKS

6' deck and "Y" posts are standard on 16' wide cabins

6' deck and posts are optional on 20' and 24' wide cabins

POPULAR OPTIONS

Vinyl insulated windows Ridgevent and vented soffit Additional doors



BUILDING SIZES

WIDTH		HEIGHT					
a sui	20'	24'	28'	32'	36'	40'	
16'	٠	•	•	•			17' 7"
20'		•	•	•	•	•	19' 9"
24'		•	•	•		•	21' 9"





Full loft, standard feature. Interior finish/work by customer







Alpine Garages

STANDARD FEATURES

FLOOR MODEL

Permanent foundation required – see page 54.

SIDEWALL HEIGHT 8' sidewalls

ROOF

LARGE STRUCTURES

4 pitch roof Aluminum dripedge OSB roof sheathing 30 year dimensional shingles 12" overhang on all sides

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing 2x4" double top-plate Wall studs 16" o.c. Air vents Synthetic felt paper Truss Anchor Screws

DOORS

Entrance door with glass

	BUI	LDING	SIZES	
1-17	alay -		and an and some	

WIDTH		HEIGHT					
	20'	24'	28'	32'	36'	40'	
20'	•	•	٠	•	•	•	12'
24'		•	•		•	•	12' 10"

POPULAR OPTIONS


Vinyl insulated windows Ridgevent and vented soffit 8-16' wide garage doors Vinyl siding Steeper roof pitch 2x6" walls

GARAGE DOOR COLORS



.

Due to variables in the printing process, color samples may vary in color and sheen from the actual materials.





50

24x28' Garage options shown: 2-9x7' garage doors 45° garage door corners 6 pitch roof cupola & weathervane gutters Alpine

Here's what I'm thinking...

"The installers arrived early and did an excellent job."

Vicki from Cuyahoga Falls, OH October 2022

Y

Alpine Loft Barns

STANDARD FEATURES

FLOOR MODELS

Permanent foundation required - see page 54.

SIDEWALL HEIGHT 8' sidewalls

ROOF

LARGE STRUCTURES

Aluminum dripedge 2x6" roof trusses 24" o.c. OSB roof sheathing 30 year dimensional shingles

CONSTRUCTION

Strongback Nailer Primed Smartside Siding 2x4" wall framing Wall studs 16" o.c.

Air vents Synthetic felt paper Steps and railings Truss anchor screws

LOFTS

Full loft (see chart for headroom) Clearspan floor trusses for loft area

DOORS


Entrance door with glass


BUILDING SIZES

WIDTH			DEF	BLDG. HEIGHT	LOFT HEIGHT			
Line	20'	24'	28'	32'	36'	40'		
20'	٠	•	•	•	•	•	18'	7' 10"
24'		•	•	•	•	•	18' 8"	8' 5"

POPULAR OPTIONS

Vinyl insulated windows Ridgevent and vented soffit 8' Overhang with posts Porch and railing 8'-16' Wide Garage Doors 2x6" Walls











24x40[°] Loft Barn options shown: 8[°] overhang posts with "Y" braces garage door, loft door windows, cupola painted red w/white trim

"manual



TI.





Ţ

Alpine

"The salesman was very nice and had great communication."

Pam from Pataskala, OH October 2022

Site Prep

Alpine Structures offers several of these site-prep options. Ask your salesman for availability in your area.

SMALL STRUCTURES



- 1. Limestone base should be 12" larger than building on four sides.
- 2. Remove 3-4" of sod.
- 3. Fill back in with No. 8 or No. 57 limestone.
- 4. Make sure entire area of limestone is level.



8"x16" x 2" thick concrete patio blocks are placed underneath each skid a maximum of 6' on center.



4x4"s are placed crossways underneath building. 4x4" supported with solid concrete blocks on low side and dug into ground (as needed) on high side.

great for smaller sheds!

LARGE STRUCTURES



Pressure/treated posts with 2x8" stringers for sloped applications.



Pressure/treated posts 8' o.c. with 2x8" treated rim boards and 2x8" treated cap.



Block foundation with frost protected footer and concrete floor.

SITE PREP



An Attractive, Durable Finish For Sheds

A flooring designed and warranted specifically for sheds, LP° ProStruct° Flooring with SmartFinish° features a durable overlay for a beautiful, professional-grade appearance. With no knots or voids, it's a welcome change from building with traditional plywood flooring. Plus, unlike plywood shed floors, LP° ProStruct° Flooring with SmartFinish° is treated with the LP° SmartGuard° process for longerlasting performance in a variety of climates/weather.







Features & Benefits

A Shed Floor With Protection Against Decay & Damage


The shed floor you've been searching for is here, specially treated with SmartGuard[®] wood strand technology to resist fungal decay and termite damage.

An Easy Shed Floor Install The LP[®] ProStruct[®] Flooring with SmartFinish[®] installs like conventional floor panels.

Knot and Void Free

Durable overlay for a professional-grade appearance with no knots or voids so your shed floor is as durable as it is attractive.

Longer-Lasting Performance SmartFinish[®] flooring has excellent resistance to warping, splitting and cupping.



Siding Options LP Smartside Siding




Standard on all buildings

A Natural Defense Against Nature

All LP° SmartSide° products are treated to the core through LP's proprietary SmartGuard° process. With four components of protection, the SmartGuard process adds strength and helps LP SmartSide products withstand impacts, freeze/thaw cycles, high humidity, fungal decay and more. Smartside siding is backed by a 50 year prorated limited warranty.

We're proud to offer SmartSide® standard on all of our buildings.





Resin-Saturated Overlay

Offering the final layer of protection against the elements, a resin-saturated overlay resists moisture intrusion while providing a durable base for quality paint adhesion and beauty.

Advanced Binders

LP SmartSide Trim and Siding provide incredible strength to resist impact damage thanks to their industrial grade binders and resins. You'll have the confidence of knowing that your siding can stand up to everyday airborne debris such as hail, sticks, or golf balls.

alpinestructures.net

LP Horizontal Lap Siding

Standard features

50 year prorated, limited warranty Treated with a Zinc Borate application Resistant to fungal decay and termite damage Primed face





Vinyl Siding

Standard features Double 4" dutchlap siding OSB subsiding & sheathing 4' Ridgevent Available on all sizes & styles

- Options
- Flowerboxes
- Vinyl railing
- Base color includes Siding Corner Trim Soffit

Trim color includes Door Trim Fascia






Vinyl sided buildings come standard with 60" wide Fiberglass slab doors with transom windows. 6 panel and 9 lite doors also available.

alpine white	alpine clay	alpine grey	alpine sandalwood

Due to variables in the printing process, color samples may vary in color and sheen from the actual materials.









58

SIDING

Due to variables in the printing process, color samples may vary in color and sheen from the actual materials.

Window & Door Options

VINYL SHUTTER & FLOWERBOX COLORS

1. White	4. Green
2. Black	5. Grey
3. Brown	6. Clay

WINDOWS SIZES & STYLES

Aluminum

18x27" | 24x36" | 24x47" | 30x36"


- Insulated
- 24x36" | 36x40"
- 1. Window with trim
- 2. Wooden bar shutters
- 3. Wooden "Z" shutters and vinyl flowerbox
- 4. Vinyl shutters
- 5. 24x47" window with transom
- 6. Black aluminum windows New for 2023!
- DOORS


1. Plain door

- 2. Diamond bottom (standard)
- 3. Decorative hinges (standard on EZ-Fit Series)

1.

3.







2.

1.

2.

4. Decorative hinges and transom windows

5. Plain Door with 24x24" windows



5.

3.

4.




5.



6.

- 6.
- 7. Entrance door with glass 8. Entrance door 6 panel






59

Due to variables in the printing process, color samples may vary in color and sheen from the actual materials.

Restructure your backyard

7.



STANDARD PAINT & TRIM COLORS

Painting is included with prebuilt structures & optional for built onsite structures.




Due to variables in the printing process, color samples may vary in color and sheen from the actual materials.

.



60



POPULAR OPTIONS

Here's some of our favorite color schemes!



Due to variables in the printing process, color samples may vary in color and sheen from the actual materials.

STAIN



MISCELLANEOUS OPTIONS

- 1. Treated ramp 48", 60", or 72" width
- 2. Steps and railing
- 3. Steps with landing
- 4. 4' Treated deck
- 5. Shelving
- 6. Loft Ladder

















CUPOLAS &

WEATHERVANES

1. Cupolas: painted white, 16" or 22"

3. Eagle weathervane

4. Rooster weathervane

5. Horse weathervane

2. 16" Painted cupola with weathervane



5

MISCELLANEOUS OPTIONS

- 1. Awning roof
- 2. Post "Y" braces
- 3. Single or double door threshold
- 4. Decorative flowerbox holder
- 5. 12" Decorative hinges Std. on EZ-Fit Series











62

Built On-Site Structures

- Available in any size building •
- **Onsite construction eliminates** access problems
- Prefabricated panels & trusses . are built in our facility
- **Optional Painting/Staining** • Painted by our team before we deliver!



Built on-site structures are prefabricated in our facility and assembled on the job-site, allowing us to build your shed right on the spot. Painting is optional.









Prebuilt Structures

- Available in smaller sheds (contact salesman for size limitations)
- Access needed to site .
- Delivered fully assembled .
- **Includes** Painting . (with Smartside Siding)
- Mule Delivery available upon request •



Prebuilt structures are assembled in our facility and delivered to your site by truck and trailer. Painting is included on buildings with smartside siding.









Doors Back

Doors Passenger

Mule delivery

Alpine STRUCTURES

email sales@alpinestructures.net *phone* 330.359.5708 • 800.359.7522



2675 US 62 · Dundee, Ohio 44624 | Located 1.5 miles West of Winesburg, Ohio | Contractor #PA039333, WV050269 | ©2023

